G. R. S. IX-5]

Previous references.

1921.

(Mur)

File No. 174

Serial Nos

1—11

Later references.

GENERAL AND REVENUE SECRETARIAT.

Serial Nos.

Part B for March 22

SUBJECT.

Removal of two disused temples adjoining the pumping station at Betamangala Bowringpet Taluk

---

H.C. Kolar No 5052 Dt 17.3.22

Passing orders re ——

WD 1888—GPB—10,826—28-7-21

CBrus

942

GENERAL AND REVENUE SECRETARIAT.

( )

NOTES.

File No. ~~942~~ 174-21

FILE HEADING.

Removal of 2 disused temples adjoining the Pumping Station at Bethamangala, Bowringpet Dy

From The Executive Engineer Water Supply Division

No. 1124 Dated 7-9-21 Received

Diary No. 942	Enclos.	Spare Copies.	Serial No. 1

BRIEF ABSTRACT OF LETTER.

Forwards copy of para 5 of the proceedings of the meeting for the periodical inspection of Bethamangala water works and requests that needful orders may be issued to the authorities concerned for the removal of 2 disused temples adjoining the Pumping Station

NOTES AND ORDERS.

The names of the temples are not given, nor has he said anything whether they are Mar Hindu or not. If so this may be sent to the Amildar of Bowringpet? who should constitute need engineers at once & take necessary.

8/9/21

Take this with the result & work up at once

8/11/21

10/9/21 8/9/21 10/9/21

General and Revenue Secretariat.

File No. 174 of 1921.

Serial No

2 No 1523 dated 21-9-21.
Do. The D.C. Kolar
Forwards serial No 1 for early report.

Reminder From The Executive Engineer Water Supply &c
No 1242 dated 4th Oct 1921.
Requests that he may be intimated the action taken in the matter of demolishing the temples
Submitted for orders with a draft reminder to D.C. & a memo forwarding a copy of it to the Executive Engr.
13/10/21 for information.
SD
13/10/21

Reminder No 1975

3 From
The Chief Engineer of Mysore
No 3127 dt. 6 10 1921
States that at a meeting of the Committee for the periodical inspection of the Bettamangala Water Supply it was resolved that the Army Depot be requested to remove the dilapidated buildings in question on account of their insanitary

NOTE—Contn. sheet

Serial No.

Condition, & requests to be informed how the matter was disposed of.

A reminder has already been sent to the Sy. Commr. Kolar from whom an early report was called for in the matter.

A draft has, however been subd. forwarding a copy of the above letter to the Chief Engineer & requesting early submn of the said report, for approval or other orders

29.10.21. 29.10.21

The Chief Engineer 12/12/21

Draft letter to the Chief Engr is subd. 1/11/21 Redraft to the Commr. Kolar may also if appd. be sent.

1/11/21 1/11/21

4 No. 2217 dated 3-11-21
Do. The Chief Engineer Mysore

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

Misc File No. 174 of 1921

Serial No.	
	States that the report called for from the D.C. in the matter has not been received and it will be dealt with as soon as it is received
5	To the D.C. Kolar. No 2218 dated 3-11-21. Forwards copy of letter from Chief Engineer (Serial 3) and requests to submit the report called for early.
6	From the D.C. Kolar District Diary No 1800 dated 8-11-21 Submits the report called for in Serial 2. The two temples adjoining the pumping station at Bethamangala are nowhere institutions. One of the temples has no image. The D.C. visited the place in company with the Executive Engineer. The villagers have agreed to remove one of the temple which is in a very dilapidated condition to their village Bethamangala

NOTE—Contn. sheet.

5

G. R. S. III-2]

General and Revenue Secretariat.

File No. 174 of 1924

Serial No.

and to construct a fresh temple or Musafirkhana out of its material. Stringent orders have been issued to remove it early. The other temple is in a fairly good state of repairs and it will greatly improve by allowing sufficient light and air into it. The Sub-Division Officer has been requested to submit a plan and estimate for its restoration and to report the source from which the cost of the restoration can be met.

Submitted for orders.

[illegible] 11/11/24 A copy of this letter from the Sy Comr. may be sent to the Chief Engr. for info.

[illegible] 12/11/24

Dft. submitted

[illegible] 15/11/24 [illegible] 15/11/24

Secretary [illegible]

NOTE—Contn. sheet.

6

G. R. S. III-2]

General and Revenue Secretariat. | File No. DG of 1921.

Serial No.

2865-30.
17 11 21. Sanct approved
Rec
15-11-21

Done.
21/18/11/21

7 To, Chief Engineer in Mysore
No. 2635 dt 23 11 21
Forwarding the Dy Commr's letter
dated 4th 11 21 in connection with the repairs

8 from The D.C Kolar District
Submits plan and estimate for the restoration of the discussed temples
The Deputy Commissioner submits the copy of letter No. D2 Dis 11/21-22 dt 5-11-21 from Sub-Division Officer Kolar and states that a considerable amount is required either to put the temples in good order or for their removal and requests that the Inspector-Superintendent may be requested to visit the temple and to furnish his opinion in the matter.
The Sub-Division officer's report explains the facts clearly.
Submitted for orders
Akr
21/12/21

NOTE—Contn sheet.

G. R. S. III-2]

General and Revenue Secretariat. | File No. 1711 of 19

Serial No.

Before the Hon'ble Sec'y forms to the sports and inspects the temples in question, it seems desirable to get in formation whether the cost of the estimate for restoring them can be met, and whether in view of the fact that this restoration has to be undertaken mainly for the sake of the water supply Deptt, that Deptt is willing to pay for it. If affd this information may be called for.

22/12/21

Chief Engr Water

Supply Deptt

Drafted

22/12/21

Fair draft submd

Thu 3/1/22

3/1/22

Secretary

4/1/22

Draft approved

Sec

6.1.22

3999-53.
5.1.22.

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

Miscl File No. 174 of 1921.

Serial No

9 To The Chief Engineer of Mysore
no: 3588 of 13th January 1922

Forwards copy of letter from the Dy: Commr in Ser. 8 above stating with copies of its enclosure & requests his opinion in the matter of restoring the house & temples in question in the Bethamangala [illegible]

To The Dy: Commr, Kolar District
no: 3589 of 13.1.22.

Forwards copy of the above letter.

---

10 From The Chief Engineer of Mysore
No. M 6515 Dt 3.3.22.

Forwards copy of letter received from the Superintending Engineer and states that the repairs &c. to the desired temples might be carried out by the Water Supply Department at the cost of the Chungrai Dept.

The Committee appointed for the periodical inspection of the Bethamangala Water Supply are in favor of putting the building in good state of repair & cleanliness but are also of opinion that if the temple (is) restored and opened of or to worship, the

NOTE—Contn. sheet.

General and Revenue Secretariat.

MUZ File No. 174 of 19 7.

Serial No.

is every chance of the Bethamangalatank being contaminated.

If the temple is not opened for public worship after its restoration, the utility of spending a large amount on its renovation is not apparent.

Of the two temples one (Sri Appleswara) is a mugrai institution and the other (Sri Somesvara) is a non-mugrai institution. The Lingam that was in the latter has been removed and consecrated in the temple of Sri Vijayanarayanaswami at the place. If the removal of these temples is insisted upon, the cost of such removal must come from the Water Supply Dept. as the mugrai Department cannot find funds for the purpose.

Subs. for [illegible]

[illegible] 8/3/22

If the other temples, but not mugrai institution ~~that~~ may be for Kesava temple that the Lingam was removed, and, if so, the last ~~the~~ D.C. may be asked to write up.

NOTE—Contn. sheet.

3755

G. R. S. III-2]

General and Revenue Secretariat. | File No. of 19

Serial No.

the water supply dept should not be permitted to remove the building at their cost, if they are willing to do so.

The other temple is not a Government institution and the Water Supply dept will have to come to an agreement about it with the villagers, and it will not be interested in it.

Draft U/11/3/22

Draft Lord.

11/3/22

Second Member) U/11/3/22

Govt approves

Secy

15.3.22

4775-189
14.3.22

11 To the Dy. Commr, Kurnool

No: 5052 dt. 17th March 1922

States that the Mineral Dept cannot contribute any wire for the restoration of the Diseases temple at Bethamangala

NOTE—Contn. sheet.

G. R. S. VI—G/32]

SUBJECT.....

Diary No. of letter replied to.....

Section Mw2
File No. 174-21
Serial No. 2

GENERAL AND REVENUE SECRETARIAT
( )
, the 191 .

No. 1[illegible]

To

The Deputy Commissioner
Kolar District

Sir,

I am directed to forward herewith for early report letter No. 1124 dated 7th Sep 1921 received from the Executive Engineer Water Supply division requesting the ~~[illegible]~~ nec ssary orders for the removal of 2 disused temples adjoining the Pumping Station at Betamangala. Bowringpet Tq.

over.

[illegible]
11/10/21

BA/1049/21 Mw2 Sec

12

No M. 3127
Ens

MYSORE PUBLIC WORKS DEPARTMENT,

CENTRAL OFFICE,

Dated Bangalore. 26 October 1921.

(Misc/338) 1617

FROM

S. CADAMBI, ESQ.,

Chief Engineer of Mysore, Bangalore.

TO

T. E. Jayarama Iyer, Esq., B.A., B.L.,

Muzrai Superintendent in Mysore,

B a n g a l o r e.

SIR,

I have the honour to state that at the last meeting held at Bethamangala on 30th July 1921 for the periodical inspection of Bethamangala Water Supply, it was resolved by the Committee constituted for the purpose that, among other things, the Muzrai Superintendent be requested to remove the two disused temples adjoining the Pumping Station as expeditiously as possible on account of their --- insanitary condition (extract enclosed). It is understood that a reference has been made to you in the matter by the Executive ------ Engineer, Water Supply Division. I request you to be so good as to state how the question has been disposed of.

I have the honour to be,

Sir,

Your most obedient servant,

26-10-21

FOR CHIEF ENGINEER OF MYSORE.

T.R.S./26-10.

G. R. S. 26]

13

File No. 1/1-21
Serial No. 4

Diary No. of letter replied to

No. 2217

General and Revenue Secretariat
( )
, the 191

To

The Chief Engineer
of Mysore

Date of issue 3.11.1921

Signed by Mr. T. E. J. Sriyes

Sir,

With reference to your letter No. 3127-47. 26.10.21 in the matter of the removal of two disused temples adjoining the Bettamangala ~~water supply~~ pumping station on account of their insanitary condition, I am directed to state that the report ~~they~~ ~~already~~ ~~the~~ called for ~~on the day from~~ the Dy. Commr. Kolar on the,

over.

SUBJECT.

14

Kindly let us know the subject ~~has not been declined till now~~ and that ~~your reference will be replied to as soon as the same is received in this office~~

The subject matter is stated as received

Shall be willing to amend

List of enclosures.

Copied by

Examined by

G. R. S. VI—G/32]

SUBJECT: Removal of two disused temples adjoining the Pumping Station at Betthamangala.

Diary No. of letter replied to: 1617

Section: Anicut
File No. 174-21
Serial No. 5

GENERAL AND REVENUE SECRETARIAT
( )
, the 191 .

No. 2218 Gov. One

Date of issue: 3.11.1921

Signed by: Mr. T. E. J. Aziz

To

The Deputy Commissioner
Kolar District
Kolar.

Sir,

In forwarding herewith a copy of letter No. 3127 of 26th Oct. 1921, from the Chief Engineer of Mysore in the matter of removal of two disused temples adjoining the Pumping Station at Betthamangala, I am directed to invite your

over.

attention to this office letter No. 1523/Inmy. 174-21-2 dated the 21st Sep. 1921 calling for an early report on the subject and to request that the report may be so good as to submit the said report as early as possible.

that the report called for may be expedited

I have etc

Secretary to Government
Inmy Dept.

29.10.21.

29-10-21

List of enclosures.

Copy of the above is forwarded with compliments to the Chief Engr in Mysore for information

B. O.

Sd/- Mur Dept

Copied by

Examined by

29-10-21

W.L.—GPB—60,000—15.11.16

1800

From

The Deputy Commissioner,
Kolar District.

To

The Secretary to the Government of
Mysore, Muzrai Department,
Bangalore.

Dated
the 3rd November 1921.

Despatched 4.11.21

Received 14 NOV 1921

General No. 1-C-
No. 21-22

Enclosure No. —

Reporting the removal of the disused temples adjoining the Pumping Station at Bethamangala.

H.C. 140 24 11 21
21-11

17

Office of the Deputy Commiss

Dated KOLAR, the 3rd November 1921.

From

Md. Zahiruddin Mecci, Esq.,B.A.,

Deputy Commissioner, Kolar District.

To

T. C. Jayarama Iyer, Esq.,B.A., B.L.,

Secretary to the Government of Mysore,

Muzrai Department, B a n g a l o r e.

Sir,

Adverting to your letter No:1523/Muz:174-21-2, dated 21st September 1921, calling for early report on letter No:1124, dated 7th September 1921, received from the Executive Engineer, Water Supply Division, requesting to issue needful orders for the removal of the disused temples, adjoining the Pumping Station at Betlamangala, I have the honor to state that there are two temples, one of which there is no image. These temples are reported to be non-muzrai institutions, as they are neither endowed with land inams, nor any cash grant. I visited the place in Company with the Executive Engineer, Kolar Division, in September 1919. Out of the two temples there, one is in a very dilapidated condition but the other is in a fairly good state of repair. It is badly in need of a door to prevent people getting into it and committing nuisance. The addition of a few windows to this temple will greatly improve it, by allowing sufficient light and air into it. The villagers who were present at the time of inspection, agreed to the removal of the first, Viz: the dilapidated temple to their own village Viz: Betharangala and construct a fresh temple or musafirkhana out of the materials. As the local Officers have not, as yet, selected a suitable site, in consulation with the villagers, no steps seem to have been taken for the removal of this temple to the village. Stringent orders have again, this day, been issued to the Sub Division Officer, to take steps for the selection of a suitable site in the village and expedite the removal of the building. As regards the

temple, which is in good repair, the Sub Division Officer, Kolar Division, is requested to expedite the submission of a plan and estimate for its restoration and to report the source, from which the cost of the restoration can be met for report to Government.

I have the honor to be,
S i r,
Your most obedient servant,

Treasury Assistant Commissioner,
For Deputy Commissioner,
Kolar District.

G. O. S. V1—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to.....

GENERAL AND REVENUE SECRETARIAT

( )

, *the* 191 .

Date of issue 23. 11—21

Signed by Mr. T. E. J. Ayer

Section

File No. 17485

Serial No. 7 21

No. 2635

Sec: one

To The Chief Engineer in Mysore Bangalore

Sir,

In continuation of this office letter No 2217 / M 7174-21-4 dated the 3rd Nov 1921, I am directed to forward herewith copy of letter No HC 140/21-22 dated the 4th idem received from the Deputy Commissioner Kolar District regarding the removal of the disused temple adjoining

over.

the pumping station at Bethamangalu.

I have &c

Dft)
15/11/21

15/11/21

Secretary
Irrig. Dept.

15/11/21

15.11.21

List of enclosures.

Copied by

Examined by

WP-6—GPB—60,000—15 11 16

2442

28308

21 22
misc.
174-21

From.

The Deputy Commissioner,
Kolar District.

To

The Secretary to Government of Mysore
Mugrai Dept. Bangalore.

Dated the 15th December 1921.

Despatched 16-12-21

Received

General No. 140 DEC 1921
21-22

No.

Enclosure No. 5

Submitting plan and estimate for the restoration of the disused temples, adjoining the Pumping Station, at Betlamangala.

CC 17-12-21

H.C. 140 / 21-22 Encls. 24

Office of the Deputy Commissioner, Kolar District.

Dated Kolar, the 15th December 1921.

From

C. Zahiruddin Hadi, Esq., B.A.,

Deputy Commissioner, Kolar District.

To

T. M. Jagannatha Iyer, Esq., B.A., B.L.,

Secretary to Government of Mysore,

Revenue Department, Bangalore.

Sir,

In continuation of this office letter No:H.C.140 of 21-22, dated 4-11-21, reporting on letter No:1134, dated 7-9-21, received from the Executive Engineer, Water Supply Division, re: the removal of the old ruined temples, adjoining the Pumping Station at Betha angala, I have the honor to submit herewith, copy of letter No:D.3.Dis.11/21-22, together with a plan, an estimate and depositions of Sambhog Venkatarayappa and other residents of the village and to state that it will be seen therefrom, that the temples in question, are worth preservation, as their removal costs an enormous amount, on account of the huge stone pillars and other stones which have to be removed. The Sub Division Officer, who inspected the buildings on the spot, suggests that, with the amount of expenditure that is likely to be incurred for their removal, the temples can be properly restored and kept in a sanitary condition. It is also suggested by the Sub Division Officer, that if the Forest Department cannot possibly spare the funds for the purpose, it may be too much for the Water Supply department to bear the cost, as the improvement are primarily made for their sake. If they are to be restored, they would certainly present a pretty sight from the water side and from the Pumping Station.

2. As a considerable amount is required, either to put the temples in good order, or for their removal, I request that the Forest Superintendent in Mysore may kindly be requested to visit the place and to furnish his own views in the matter, at a very early

Ellu

72

early date.

I have the honor to be,
Sir,
Your [illegible] obedient servant,

RMcallaffa 15/12

To
[illegible] Commissioner,
[illegible] Deputy Commissioner,
Kolar District.
(Central Division).

Rus

V.T.P.

23 Miz 174-21-9

3588 Ch 2

To 8. 13-1-1922

The Chief Engineer of Mysore.

Sir,

Adverting to your letter No.5127 dated 26th October 1921 regarding the removal of the two disused temples adjoining the pumping station at Bethamangala, I am directed to forward herewith copy of letter No.140 dated 15th December 1921 together with a copy of its enclosure received from the Deputy Commissioner, Kolar District on the subject and to request that Government may be favoured with your views about the proposals of the Deputy Commissioner to ~~remove~~ restore the temples and whether in the event of your agreeing in this view, the necessary funds can be provided by the Water Supply Department.

I have etc.,

Fair draft

Secretary.

3589

13-1-22 copy to the Deputy Commissioner, Kolar District for information.

By order,

Secretary.

6.1.22

Orders with enclosures.

24

No M. 6515
Encl. 3

84/4.3.22

MR 4/3

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,
Dated Bangalore. 7 3 1922.

3755
4 22
Muz.
174-21-10

FROM

S CADAMBI, ESQ.,
Chief Engineer of Mysore, Bangalore.

To

T. E. Jayarama Iyer, Esq., B.A., B.L.,
Secretary to the Government of Mysore,
Muzrai Department, Bangalore.

SIR.

With reference to your letter No.3588/Muz.174-21-9 dated the 13th January 1922, regarding the two disused temples adjoining the Pumping Station at Bethamangala, I have the honour to forward herewith, a copy of letter No.2337 dated the 20th February 1922 - together with copies of its enclosures received from the Superintending Engineer, Sanitary Circle. As recommended therein, the - repairs, etc., to the disused temples might be carried out by the Water Supply Department at the cost of the Muzrai Department if - you have no objection.

I have the honour to be,
Sir,
Your most obedient servant,

T. Narasimha Rao
FOR CHIEF ENGINEER ~~OF MYSORE~~.

T.R.S./2-3.

25

Letter No.2337 dated 20th February 1922, from the Superintending Engineer, Sanitary Circle, to the Chief Engineer of Mysore

---

With reference to your memo No.B.5758 dated 6-2-1922, forwarding copy of letter No.3588/Muz. 174-21-9 dated 31-1-1922, from the Secretary to Government, Nuzrai Department, regarding the removal of the disused temples adjoining the Pumping Station at Bethamangala, I have the honour to submit herewith, a copy of Water Supply Division Executive Engineer's No.165 dated 16-2-22 together with copy of resolution of the Committee for your information and to state that I concur with the opinion of the Committee. The repairs, etc., to the disused temples may be carried out by this Department (Water Supply Division) and I request your approval to the same.

"Copy".

3/3/22

T.R.S./2-3.

"E x t r a c t". 26

5. Letter No.5758 dated 6th February 1922, from the Chief Engineer of Mysore, forwarding copy of letter No.3583/Muz.174-21-9 dated 31st January 1922, regarding the restoration of disused ----- temples near the Pumping Station, Bethamangala, was read and the Committee are in favour of putting the building in good state of repair and cleanliness but are of opinion that if the temple --- restored and opened for worship, there is every chance of the --- Bethamangala Tank being contaminated.

"Copy".

M. Narasimhaiya

Assistant Secretary to Government,
Public Works Department.

T.R.S./2-3.

27

Letter No.165 dated 16/17th February 1922, from the ----- Executive Engineer, Water Supply Division, to the Superintending Engineer, Sanitary Circle, Bangalore.

Your Memo No.2159 dated 8th February 1922, forwarding Chief Engineer's No.5758 dated the 6th regarding the disused temples at Bethamangala.

With reference to the above, I have the honour to report the the question was discussed on the 11th instant at the meeting of the Committee appointed for the periodical inspection of the Bethamangala Water Supply. A copy of the resolution of the Committee is noted below for favour of your information. The temples being close to the water margin of the tank it is not considered quite desirable to restore them for worship. They will no doubt present a pretty sight if kept in good condition; and the improvements suggested by the Revenue and Sub-Divisional Officer may be carried out by the Muzrai Department. There is no provision in any of the estimates of this Division for ----- meeting the cost of these improvements.

2. Your memo is herewith returned.

"Copy".

M. Narasimhaya

Assistant Secretary to Government,
Public Works Department.

T.R.S./2-3.

Proceedings of the Meeting for the Periodical Inspection of Bethamangala Pumping Station held at Bethamangala on Saturday the 30th July 1921.

Present:- 1. Dr. John O'Donnell, Chief Medical Officer, K.G.F.

2. Dr. J. V. Karve, Health Officer, K.G.F.

3. Mr.P.R.Subba Rao, District Medical & Sanitary Officer, Kolar District, Kolar.

4. Mr.S.Srinivasa Iyer, Executive Engineer, Water Supply Division.

X X X X X

5. Resolved that the Muzrai Department be urged to remove the two disused temples adjoining the Pumping Station as expeditiously as possible.

X X X X X

"Extract".

T. Narasimha Rao

Assistant Secretary to Government, Public Works Department.

G. R. S. VI—G/32]

SUBJECT.....

Diary No. of letter replied to 3755

Section Misc
File No. 174-21
Serial No. 1

General and Revenue Secretariat
( )
, the 191 .

No.

Date of issue

Signed by

To

The Dy. Commissioner,
Kolar Dt.

Sir,

With reference to your letter No. A.C. 120/21-22 Dt/16th Dec: 1921 regarding the restoration of the disused temples adjoining the Pumping Station at Bethamangala, Bowringpet Tk, I am directed to forward herewith Copy of letter No. 6515 Dt/3.3.22 together with its enclo[illegible]

over.

Copy with Co[illegible] 16-3-[illegible]

intimating that the repairs to the disused temples will be carried out by the Water Supply Department at the cost of the Madras Department.

and to ~~[illegible]~~. I request you to be so good as to ~~let me know~~ inform us to why the Water Supply Department should not be permitted to remove the building dedicated to Arkeswara at their cost as the Linga has been removed and consecrated in the Vijayamarayanaswami temple and worship being conducted there.

2. As the temple of Sri Someswara is not a Madras Institution, ~~the~~ it is presumed that the Water Supply Department must come to an agreement with the villagers and others interested about its removal. The Madras dept cannot bear any of the charges which may be incurred on this account.

3. The enclosures to your letter are returned.

I have etc.,

(Sd.) [illegible] 3/12

Secretary

List of enclosures.

Copied by

Examined by

[illegible] 15-3-12

[illegible] 11/3

[illegible] 11/3